



Aditya Birla Chemicals (Thailand) Ltd. (Epoxy Division)

EPOTEC YDPN 638

Description

YDPN 638 is a semi-solid phenol novolac based multifunctional epoxy resin. Due to higher functionality, it offers high crosslink density. YDPN 638 is useful in improving the performance of cured epoxy resin systems particularly at elevated temperatures or involving high chemical resistance. It exhibits better retention of electrical and mechanical properties at elevated temperatures.

Typical applications:

- Adhesives
- Casting and tooling
- Composites
- Can and coil coating
- Marine & Protective Coatings
- Photo cure Industrial Coatings
- Potting and Encapsulation.

Typical properties

Property	Test method	Unit	Specification
Appearance	Visual	-	Semi-solid
Color	ASTM D-1544 (89) TEC-AS-P-006	Gardner	Max. 3
Epoxy equivalent weight	DIN 16945/4.15B (89) TEC-AS-C-002	g/eq	175 - 182
Viscosity* @ 52 °C	JIS K 7233 (86)	cPs	20,000 - 50,000

* Brookfield viscosity

Storage

EPOTEC YDPN 638 resin should be stored in dry, warm conditions and kept closed in original container. Under these conditions, it has a storage life of at least one year.

Handling

Please refer to MSDS for safe handling of EPOTEC YDPN 638.

Disclaimer

All recommendations for use of our products whether given by us in writing, verbally or to be implied from the results of tests carried out by us are based on the current state of our knowledge. Although, the information contained in this sheet is accurate, no liability can be accepted in respect of such information. We warrant only that our product will meet the designated specifications and make no other warrant either express or implied, including any warranty of merchantability or fitness for a particular purpose as the conditions of application are beyond our control.

For Additional Information, Please Contact:

Aditya Birla Chemicals (Thailand) Ltd. (Epoxy Division)

Mahatun Plaza Bldg., 16th Floor 888/167 Ploenchit Road, Lumpini, Bangkok 10330 Thailand.

Tel: (662) 2535031-3, Fax: (662) 2535030.

Web Site: www.adityabirlachemicals.com, E-Mail: epoxymktg@adityabirla.com